



Introduction to Python Programming

Presenter: Vivek Jadon, Data Specialist

Date: November 13, 2025





Land



Acknowledgement

McMaster University is located on the traditional Territories of the Mississauga and Haudenosaunee Nations, and within the lands protected by the “Dish With One Spoon” wampum agreement.

Code of Conduct

The Sherman Centre and the McMaster University Library are committed to fostering a supportive and inclusive environment for its presenters and participants.

As a participant in this session, you agree to support and help cultivate an experience that is collaborative, respectful, and inclusive, as well as free of harassment, discrimination, and oppression. We reserve the right to remove participants who exhibit harassing, malicious, or persistently disruptive behaviour.

Please refer to our code of conduct webpage for more information:
scds.ca/events/code-of-conduct

Session Recording and Privacy

This session is being recorded with the intention of being shared publicly via the web for future audiences. In respect of your privacy, participant lists will not be shared outside of this session, nor will question or chat transcripts.

Questions asked via the chat box will be read by the facilitator without identifying you. Note that you may be identifiable when asking a question during the session in an audio or visual format.

Book an Appointment with the DASH Team

Receive help from a member of the DASH team! DASH can assist with the following topics:

- Creating data visualizations, including charts, graphs, and scatter plots
- Figuring out which statistical tests to run (e.g., t-test, chi-square, etc.).
- Analyzing data with software including SPSS, Python, R, SAS, ArcGIS, MATLAB, and Excel
- Choosing which software package to use, including free and open-source software
- Troubleshooting problems related to file formats, data retrieval, and download
- Selecting methodology and type of data analysis to use in a thesis project

Book an appointment: <https://library.mcmaster.ca/services/dash>



Certificate Programs

The Sherman Centre for Digital Scholarship Certificate of Attendance

The Sherman Centre's certificate program recognizes attendance at our workshops. It complements degree training, supports the development of critical competencies in data analysis, research data management, and digital scholarship, and formalizes core skills fostered by our workshops.

Participants are invited to attend seven workshops and receive a certificate of attendance. To verify your participation in today's workshop, we will provide a code and additional instructions at the end of the session.

You can learn more about the certificate program at [**scds.ca/certificate-program**](https://scds.ca/certificate-program)

The Canadian Certificate for Digital Humanities

This workshop is also eligible for the Canadian Certificate for Digital Humanities. To learn more about the certificate, visit [**ccdhhn.ca**](https://ccdhhn.ca). You can also contact local liaison Alexis-Carlota Cochrane at [**scds@mcmaster.ca**](mailto:scds@mcmaster.ca)

Winter 2025: Upcoming Workshops

Data Analysis Support Hub

November 18: Map Making for Absolute Beginners using QGIS

November 20: Modeling Binary Outcomes: Logistic Regression in R

Digital Research

February 6: Create a Digital Exhibition with Omeka S

Research Data Management

November 19: Data Management Plan Bootcamp (Virtual)

November 25: Data Management Plan Bootcamp (In-Person)

Do More with Digital Scholarship

November 26: Making and Querying Databases in SQL with DuckDB

Register for Upcoming Workshops: <https://u.mcmaster.ca/scds-workshops>

Library



Learning Objectives

By the end of this workshop, you will:

- Gain knowledge of the basics of Python programming
- Understand different data types in Python
- Will be able to write simple programs in Python

What is Python?

- [Python](#) is a very high-level dynamic object-oriented programming language
- Python is easy to program and read
- Similar to PERL, but with powerful typing and object-oriented features.
- Commonly used for producing HTML content on website
- Useful built-in types (list, dictionaries)
- Clean syntax
- Great for text processing



What is Python?

Invented in the Netherlands in early 90s by Guido van Rossum.

Named after “Monty Python”, a comedy group, as python is fun to use.

Open source and interpreted language.

Considered a scripting language, but it is much more than that.

Scalable, object oriented and functional.

What is Python?

- Python is used by...



... and many more organizations

Traditional Use of Python

Image processing

Embedded scripting

Artificial Intelligence

Database programming

System utilities

Internet scripting

Python Timeline

Python 1.0 January 1994

Python 2.0 October
2000

Python 3.0 December
2008


Python Integrated Development Environment (IDE)



Any text editing software can be used to write a Python script file. Make sure you save it as .PY file



IDE is a piece of software that provides useful features like code hinting, syntax highlighting and checking, file explorers, etc. to the programmer for application development




Some IDE to consider PyCharm, Spyder, Jupyter, IDLE, Sublime Text, Microsoft Visual Studio Code (VS Code) etc.

Anaconda – Python Distribution



Free and open-source distribution of the **Python** and **R programming** languages for scientific computing (data science, machine learning applications, large-scale data processing, predictive analytics, etc.), that aims to simplify package management and deployment.



Anaconda bundles a whole bunch of Python packages such as Spyder IDE, Jupyter Notebook, Orange 3, R Studio etc.



Works with Windows, Mac OS and Linux platforms

Jupyter Notebook

McMaster has access to
Jupyter notebook via
Compute Canada

<https://mcmaster.syzygy.ca/>

Download Exercise File

- <http://bit.ly/2MVaTmv>

Data Types in Python

Python has five standard data types:

1. Numbers
2. String
3. List
4. Tuple
5. Dictionary



Data Types in Python: Numbers

Python support several different numeric types:

Integers

- Example: 0, 1, 1234, -56
- Dividing an integer by another integer will return a float (to get only the integer part of the quotient use `//` e.g. typing `7//2` will only yield 3)

Long Integers: Only in Python 2; Not in Python 3

- Example: 99999999999999999999L
- Must end in either I or L
- Can be arbitrarily long

Floating point numbers

- Example: 0., 1.0, 1e10, 3.14e-2, 6, 99E4
- Division works normally for floating point numbers:
 $7/2=3.5$ ($7//2=3$)
- Operation involving both floats and integers will yield floats: $6.4-2=4.4$, $6.4//2=3.0$, $6.4//2.2=2.0$

Data Types in Python: Numbers

Complex numbers

- Are of a form **a + bJ**, where a and b are int or floats and J (or j) represents the square root of -1 (which is an imaginary number). Examples: 3+4j, 3.0+4.0j, 2j
- Must end in j or J
- Complex numbers are not used much in Python programming.

Identifier

- **Python identifiers: Rules for variable names**
 - A python identifier is a name used to identify a variable, function, class, module or other object
 - An identifier starts with a letter **A** to **Z** or **a** to **z** or an underscore (**_**) followed by **zero** or more letters, underscores and digits (0 to 9)
 - Python is a case sensitive language
 - Python does not allow special characters such as **@**, **\$** and **%** within identifiers
- Variables are used by just assigning them a value. No declaration or data type definition is needed/used.

Identifier

- **Identifier naming convention for python**
 - Class names start with an uppercase letter and all other identifiers with lowercase letter
 - Starting an identifier with a single leading underscore indicates by convention that identifier is meant to be private
 - Starting an identifier with two leading underscores indicates a strongly private identifiers
 - If the identifier also ends with two trailing underscores, the identifier is a language – defined special name

>>>

>>> a = 10

>>> apple = 10

>>> a10 = 10

>>> 10a = 10

File "<stdin>", line 1

10a = 10

^

SyntaxError: invalid syntax

>>>

>>> # identifiers needs to start with alphabets

...

>>> # Alphabets +numbers

...

>>> !a = 10

File "<stdin>", line 1

!a = 10

^

SyntaxError: invalid syntax

>>> # none of the special chars can be used

... -a = 10

File "<stdin>", line 2

SyntaxError: can't assign to operator

>>> -a = 10

File "<stdin>", line 1

SyntaxError: can't assign to operator

>>> _a = 10

>>> # exceptions - identifiers can start with _

...

>>> a_ = 20

>>> __ = 30

>>> _a

10

>>> __a

Traceback (most recent call last):

File "<stdin>", line 1, in <module>

NameError: name '__a' is not defined

>>>

30

>>>

>>>

>>>

>>> and = 10

File "<stdin>", line 1

and = 10

^

SyntaxError: invalid syntax

>>> # and is a keyword .You can not use keyword as Identifier

...

>>>

>>>

Operations on Numbers

Basic algebraic operations

- Four arithmetic operations : $a+b$, $a-b$, $a*b$, a/b
- Module : $a \% b$
- Exponentiation : $a**b$
- Other elementary functions are not part of standard Python, but included in packages like NumPy and SciPy

Comparison operation

- Greater than, less than, etc. $a>b$, $a<b$, $a\leq b$, $a\geq b$
- Identity tests: $a==b$, $a!=b$

```
>>> # BODMAS =?
...
>>> # PEMDAS =
...
>>> # parenthesis , exponentiation , multiplication , division , addition and subtraction
...
>>> 2*(3+4-5)
4
>>> 4%2
0
>>> 9%2
1
>>> 2
2
>>> 2**2
4
>>> 2**3
8
```


Operations on Numbers

In addition to other Operators:

- Not surprisingly, Python follows the basic *PEMDAS* (*Parentheses, Exponents, Multiplication, Division, Addition, Subtraction*) order of operation.

- Python supports mixed type math.

Example 1: $100 - 24 * 3 \% 5 \rightarrow 100 - ((24 * 3) \% 5) \rightarrow -$
 $\rightarrow 100 - (72 \% 5) \rightarrow 100 - 2 = 98$

Example 2 : $100 - 24 * (3 \% 5) \rightarrow : 100 - (24 * (3 \% 5))$
 $\rightarrow 100 - (24 * 3) \rightarrow 100 - 72 = 28$

Data Types in Python: Strings

Strings are ordered blocks of text

- Strings are enclosed in single or double quotation marks.
- Double quotation marks allow the user to extend strings over multiple lines without backslashes, which usually signal the continuation of an expression.
- Example: `'abc'`, `"ABC"`

Concatenation and repetition

- Strings are concatenated with the `+` sign
- Strings are repeated with the `*` sign

```
>>>
>>> #Extension of String
...
>>> 'abc' + "ABC"
'abcABC'
>>> #String Concatenation
...
>>> 'abc' + 'def'
'abcdef'
>>> #String Repetition
...
>>> 'Python'*3
'PythonPythonPython'
>>>
```

Operations on Strings

- **Indexing and Slicing Operation**
 - Python starts indexing at **0**.
 - A string **s** will have indexes running from **0** to **len(s)-1** (where **len(s)** is the length of **s** in integer quantities).
 - **s[i]** fetches the **ith** element in **s**

C:\Python27\python.exe

```
>>>
>>> a = "Hello"
>>> len (a)
5
>>> a
'Hello'
>>> #slice and dice a string in python
...
>>> a[0]
'H'
>>> a[1]
'e'
>>> a[2]
'l'
>>> a[3]
'l'
>>> a[4]
'o'
>>> a[5]
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
IndexError: string index out of range
>>> a[0:4]
'Hell'
>>> a[0:]
'Hello'
>>> a[3:]
'lo'
>>> # 0 is the index start
...
>>> #If you want to count the length ,the number starts from 1
```

```
>>> #If you want to count the length ,the number starts from 1
...
>>> len(a)
5
>>> a
'Hello'
>>> a[0:3]
'Hel'
>>> a[0:4]
'Hell'
>>> a[:3]
'Hel'
>>> a[:4]
'Hell'
>>> a[3:4]
'l'
>>> a
'Hello'
>>> a[3:3]
''
>>> # index starts from 0 L -> R
...
>>> a[-1]
'o'
>>> a[-2]
'l'
>>> a[-3]
'l'
>>> a[-4]
'e'
>>> a[-5]
'H'
>>> # R -> L ,The index starts at -1
```

Operations on Strings

Membership Checking

- **In** - Returns true if a character exists in the given string .
- **Not in** – Return true if a character does not exist in the given string

String Formatting Operator : %

- This operator is unique to strings and Python uses **C-style** formatting to create new, formatted strings. The % Operator is used to format a set of variables enclosed in a “**tuple**” (a fixed size list), together with a format string -- %c, %s, %d etc.

```
>>>
>>> 'p' in "python"
True
>>> p
'hello'
>>> p in "python"
False
>>> #Membership checking : in
...
>>> 'p' in "python"
True
>>> #Membership checking :not in
... 'p' not in "python"
False
>>> #string formating operator :%
...
>>> "My name is %s"%( 'Sam' )
'My name is Sam'
>>>
```


Reserved Keywords

- Reserved keywords are the reserved words in python which can not be used as :
 - Variable name
 - Function name or
 - Any other identifier
- They are used to define the syntax and structure of the python language
- All the python keywords contain lowercase letter only.

	try	from	l
	exec	global	f
t	raise	assert	p
	finally	pass	t

Data Types in Python:

List

- The list type is a container which holds a number of other objects, in a given order.
- The list type implements the sequence protocol, and it also allow you to add and remove objects from the sequence.
- A list is an ordered set of elements enclosed in square brackets.
- Simple definition of list -> `li = []`

Using built in LIST type object:

```
>>> #Sequence -> LISTS  
#List is a container -> which holds different kinds of Objects  
#List is enclosed in square brackets or []  
#{ } -> dictionaries  
# ( ) -> tuples
```

Data Types in Python:

List - Access

- Accessing elements in a list:
 - `n=len(li)`
 - `Item = li[index]` **#Indexing**
 - `Slice = li [start:stop]` **#Slicing**

```
>>> t1
('apple', 'ball', 'cat')
>>>
>>>
>>> # list is ordered collection of items
>>>
>>>
>>> t1
('apple', 'ball', 'cat')
>>>
>>>
>>> l9 = list(t1)
>>> l9
['apple', 'ball', 'cat']
...
```

Data Types in Python:

List - Indexing

- **List[i]** returns the value at index *i*.
Where *i* is an integer
- A negative index accesses elements from the end of the list counting backwards. The last element of any nonempty list is always **list[-1]**
- Python raises an **IndexError** exception, if the index is outside the list

Data Types in Python:

List - Slicing

- A subset of list is called “**slice**”
- You can get a subset of list, called a “**slice**”, by specifying two indices
- Slicing works if one or both of the slice indices is negative


```

>>> t1 = ()
>>> type
<type 'type'>
>>> type(t1)
<type 'tuple'>
>>>
>>>
>>>
>>> l1 = []
>>> type(l1)
<type 'list'>
>>> d1 = {}
>>> type(d1)
<type 'dict'>
>>>
>>> t1= ()
>>> type(t1)
<type 'tuple'>
>>>
>>> l1 = ['a','b']
>>> type(l1)
<type 'list'>
>>>
>>> l2 = [1,2]
>>> l1
['a', 'b']
>>> l2
[1, 2]
>>> l3 = l1+l2
>>> l3
['a', 'b', 1, 2]
>>>
>>> l4 = [('apple','ball','cat'),('dog','lion','tiger')]
>>> l4
[('apple', 'ball', 'cat'), ('dog', 'lion', 'tiger')]
>>> type(l4)
<type 'list'>
>>> # l4 -> list of tuples

```

```

>>>
>>> l1
['a', 'b']
>>> l2
[1, 2]
>>> l3
['a', 'b', 1, 2]
>>> l4
[('apple', 'ball', 'cat'), ('dog', 'lion', 'tiger')]
>>>
>>> l1[0]
'a'
>>> l4
[('apple', 'ball', 'cat'), ('dog', 'lion', 'tiger')]
>>> l4[0]
('apple', 'ball', 'cat')
>>>
>>> #'apple' from l4
...
>>> l4[0]
('apple', 'ball', 'cat')
>>>
>>> type(l4[0])
<type 'tuple'>
>>>
>>> t1 =l4[0]
>>> t1
('apple', 'ball', 'cat')
>>> t1[0]
'apple'
>>>
>>> l4
[('apple', 'ball', 'cat'), ('dog', 'lion', 'tiger')]
>>>
>>> l4[0]
('apple', 'ball', 'cat')
>>> l4[0][0]
'apple'
>>>
>>>

```

C:\Python27\python.exe

```
>>>
>>> l1
['a', 'b']
>>> l2
[1, 2]
>>> l3
['a', 'b', 1, 2]
>>> l3[3]
2
>>> l3[-1]
2
>>> l3[1:3]
['b', 1]
>>> # list [index,length]
...
>>> l3
['a', 'b', 1, 2]
>>> len(l4)
2
>>> len(l3)
4
>>>
>>> dir(l3)
['__add__', '__class__', '__contains__', '__delattr__', '__delitem__', '__delslice__', '__doc__', '__eq__', '__format__', '__ge__', '__getattribute__', '__getitem__', '__getslice__', '__gt__', '__hash__', '__iadd__', '__imul__', '__init__', '__iter__', '__le__', '__len__', '__lt__', '__mul__', '__ne__', '__new__', '__reduce__', '__reduce_ex__', '__repr__', '__reversed__', '__rmul__', '__setattr__', '__setitem__', '__setslice__', '__sizeof__', '__str__', '__subclasshook__', 'append', 'count', 'extend', 'index', 'insert', 'pop', 'remove', 'reverse', 'sort']
>>>
>>> # dir will provide all the methods
...
>>> l3
['a', 'b', 1, 2]
>>> l3.sort()
>>> l3
[1, 2, 'a', 'b']
>>> l3.reverse()
>>> l3
['b', 'a', 2, 1]
>>>
```

C:\Python27\python.exe

```
>>>
>>>
>>> l3.remove()
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
TypeError: remove() takes exactly one argument (0 given)
>>>
>>> dir(l3.remove())
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
TypeError: remove() takes exactly one argument (0 given)
>>>
>>> l3.remove.__doc__
'L.remove(value) -- remove first occurrence of value.\nRaises ValueError if the value is not present.'
>>>
>>> l3
['b', 'a', 2, 1]
>>> l3.append('b')
>>> l3
['b', 'a', 2, 1, 'b']
>>>
>>> l3.remove('b')
>>> l3
['a', 2, 1, 'b']
>>>
>>> l3.remove('d')
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
ValueError: list.remove(x): x not in list
>>>
>>>
>>> l3
['a', 2, 1, 'b']
>>> l3.pop()
'b'
>>> l3
['a', 2, 1]
>>> l3.pop()
1
>>>
```

```

>>> l3
['a', 2]
>>> l3.pop()
2
>>> l3
['a']
>>> l3.pop()
'a'
>>> l3
[]
>>> l3.pop()
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
IndexError: pop from empty list
>>>
>>> l3 = ['a','b',1,2,3]
>>> l3
['a', 'b', 1, 2, 3]
>>>
>>> dir(l3)
['__add__', '__class__', '__contains__', '__delattr__', '__delitem__', '__delslice__', '__doc__', '__eq__', '__format__', '__ge__', '__getattribute__', '__getitem__', '__getslice__', '__gt__', '__hash__', '__iadd__', '__imul__', '__init__', '__iter__', '__le__', '__len__', '__lt__', '__mul__', '__ne__', '__new__', '__reduce__', '__reduce_ex__', '__repr__', '__reversed__', '__rmul__', '__setattr__', '__setitem__', '__setslice__', '__sizeof__', '__str__', '__subclasshook__', 'append', 'count', 'extend', 'index', 'insert', 'pop', 'remove', 'reverse', 'sort']
>>>
>>> l3.insert.__doc__
'L.insert(index, object) -- insert object before index'
>>>
>>> l3
['a', 'b', 1, 2, 3]
>>> l3.insert(2,'z')
>>> l3
['a', 'b', 'z', 1, 2, 3]
>>> l3.insert(-1,'y')
>>> l1
['a', 'b']
>>> l3
['a', 'b', 'z', 1, 2, 'y', 3]
>>>
>>>

```

```
>>>
>>> l3.index.__doc__
'L.index(value, [start, [stop]]) -> integer -- return first index of value.\nRaises ValueError if the value is not present.'
>>>
>>> l3.index('b')
1
>>> l3.index('y')
5
>>> l3.extend.__doc__
'L.extend(iterable) -- extend list by appending elements from the iterable'
>>>
>>> l3
['a', 'b', 'z', 1, 2, 'y', 3]
>>> l2
[1, 2]
>>> l1
['a', 'b']
>>> l4
[('apple', 'ball', 'cat'), ('dog', 'lion', 'tiger')]
>>>
>>> l3.extend(l4)
>>> l3
['a', 'b', 'z', 1, 2, 'y', 3, ('apple', 'ball', 'cat'), ('dog', 'lion', 'tiger')]
>>>
>>> l3.count.__doc__
'L.count(value) -> integer -- return number of occurrences of value'
>>>
>>> l3
['a', 'b', 'z', 1, 2, 'y', 3, ('apple', 'ball', 'cat'), ('dog', 'lion', 'tiger')]
>>> l3.count('a')
1
>>>
```

```

...
>>> l3
['a', 'b', 'z', 1, 2, 'y', 3]
>>> l2
[1, 2]
>>> l1
['a', 'b']
>>> l4
[('apple', 'ball', 'cat'), ('dog', 'lion', 'tiger')]
>>>
>>> l3.extend(l4)
>>> l3
['a', 'b', 'z', 1, 2, 'y', 3, ('apple', 'ball', 'cat'), ('dog', 'lion', 'tiger')]
>>>

>>> l3
['a', 'b', 'z', 1, 2, 'y', 3, ('apple', 'ball', 'cat'), ('dog', 'lion', 'tiger')]
>>> l2
[1, 2]
>>> l3.append(l2)
>>> l3
['a', 'b', 'z', 1, 2, 'y', 3, ('apple', 'ball', 'cat'), ('dog', 'lion', 'tiger'), [1, 2]]
>>>
>>> #append vs Extend
    # Extend => it adds onto the same list as last element
    # append => it adds whatever is there in the object with the datatype
...
>>>

```


Extend Home: break the house

Append Home: do not break but just add to it.

Data Types in Python:

List - Operator

- Lists can also be concatenated with the + operator.
- `list = list + otherlist` has the same result as `list.extend(otherlist)`

 C:\Python27\python.exe

Python 2.7.12 (v2.7.12:d33e0cf91556, Jun 27 2016, 15:24:40) [MSC v.1500 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license" for more information.

```
>>> l1=['a','b']
```

```
>>> l1*2
```

```
['a', 'b', 'a', 'b']
```

```
>>> l1*4
```

```
['a', 'b', 'a', 'b', 'a', 'b', 'a', 'b']
```

Data Types in Python:

Tuple

- A Tuple is an **immutable list**. A tuple can not be changed in any way once it is created.
- A Tuple is defined in the same way as a list except that the whole set of elements are enclosed in parentheses instead of square brackets.

Compare t1(Tuple) and l3(list)

- As you can see you can not edit t1(extend, insert, pop, remove, reverse, sort)

```
>>>
>>> t1 = ('apple' , 'ball', 'cat')
>>> t1
('apple', 'ball', 'cat')
>>> type(t1)
<type 'tuple'>
>>>
>>> l3 = ['a', 'b', 1, 2, 3]
>>> l3
['a', 'b', 1, 2, 3]
>>> dir(l3)
['__add__', '__class__', '__contains__', '__delattr__', '__delitem__', '__delslice__', '__doc__', '__eq__', '__format__', '__ge__', '__getattribute__', '__getitem__', '__getslice__', '__gt__', '__hash__', '__iadd__', '__imul__', '__init__', '__iter__', '__le__', '__len__', '__lt__', '__mul__', '__ne__', '__new__', '__reduce__', '__reduce_ex__', '__repr__', '__reversed__', '__rmul__', '__setattr__', '__setitem__', '__setslice__', '__sizeof__', '__str__', '__subclasshook__', 'append', 'count', 'extend', 'index', 'insert', 'pop', 'remove', 'reverse', 'sort']
>>>
>>> dir(t1)
['__add__', '__class__', '__contains__', '__delattr__', '__doc__', '__eq__', '__format__', '__ge__', '__getattribute__', '__getitem__', '__getnewargs__', '__getslice__', '__gt__', '__hash__', '__init__', '__iter__', '__le__', '__len__', '__lt__', '__mul__', '__ne__', '__new__', '__reduce__', '__reduce_ex__', '__repr__', '__rmul__', '__setattr__', '__sizeof__', '__str__', '__subclasshook__']
>>>
>>> t1.pop()
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
AttributeError: 'tuple' object has no attribute 'pop'
>>> t1.remove('apple')
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
AttributeError: 'tuple' object has no attribute 'remove'
>>>
```

Data Types in Python: Dictionaries

- Collection of arbitrary objects which is unordered, changeable and indexed
- Written in curly brackets, and have keys and values
- Variable-length, heterogeneous, and arbitrary nestable
- Mutable mapping
- Table of object references (hash tables)

```

>>>
>>> # dictionary
    # english dictionary - index -> page number -> defination
    # index -> Key
    #defination -> value
...
>>>
>>> d={}
>>> type9d)
    File "<stdin>", line 1
        type9d)
            ^
SyntaxError: invalid syntax
>>> type(d)
<type 'dict'>
>>>
>>>
>>>
>>>
>>> d= {'a':'apple','b':'ball','c':'cat'}
>>> d['a']
'apple'
>>> d[0]
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
KeyError: 0
>>> d['b']
'ball'
>>> d['c']
'cat'
>>>
>>> #dictionart {key:value}
    # dictionary [key] => value
...

```



```

>>>
>>>
>>> d
{'a': 'apple', 'c': 'cat', 'b': 'ball'}
>>>
>>> # dictionary is un-ordered
>>> # list /tuple => ordered
...
>>> dir(d)
['__class__', '__cmp__', '__contains__', '__delattr__', '__delitem__', '__doc__', '__eq__', '__format__', '__ge__', '__getattr__', '__getitem__', '__gt__', '__hash__', '__init__', '__iter__', '__le__', '__len__', '__lt__', '__ne__', '__new__', '__reduce__', '__reduce_ex__', '__repr__', '__setattr__', '__setitem__', '__sizeof__', '__str__', '__subclasshook__', 'clear', 'copy', 'fromkeys', 'get', 'has_key', 'items', 'iteritems', 'itervalues', 'keys', 'pop', 'popitem', 'setdefault', 'update', 'values', 'viewitems', 'viewkeys', 'viewvalues']
>>>
>>> d
{'a': 'apple', 'c': 'cat', 'b': 'ball'}
>>> d.items()
[('a', 'apple'), ('c', 'cat'), ('b', 'ball')]
>>> l=d.items()
>>> type(l)
<type 'list'>
>>>
>>>
>>> d.iteritems()
<dictionary-itemiterator object at 0x0000000001C60E58>
>>> tuple(d.iteritems())
(('a', 'apple'), ('c', 'cat'), ('b', 'ball'))
>>>
>>>
>>> d.keys()
['a', 'c', 'b']
>>> k.values()
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
NameError: name 'k' is not defined
>>> d.values()
['apple', 'cat', 'ball']
>>>
>>>

```

dict.items(): Return a copy of the dictionary's list of (key, value) pairs.

dict.iteritems(): Return an iterator over the dictionary's (key, value) pairs.

```

>>>
>>>
>>> d.pop('c')
'cat'
>>> d
{'a': 'apple', 'b': 'ball'}
>>> # dictionary is mutable
...
>>> dir(d)
['__class__', '__cmp__', '__contains__', '__delattr__', '__delitem__', '__doc__', '__eq__', '__format__', '__ge__', '__getattr__', '__getitem__', '__gt__', '__hash__', '__init__', '__iter__', '__le__', '__len__', '__lt__', '__ne__', '__new__', '__reduce__', '__reduce_ex__', '__repr__', '__setattr__', '__setitem__', '__sizeof__', '__str__', '__subclasshook__', 'clear', 'copy', 'fromkeys', 'get', 'has_key', 'items', 'iteritems', 'iterkeys', 'itervalues', 'keys', 'pop', 'popitem', 'setdefault', 'update', 'values', 'viewitems', 'viewkeys', 'viewvalues']
>>>
>>> d.popitem.__doc__
'D.popitem() -> (k, v), remove and return some (key, value) pair as a\n2-tuple; but raise KeyError if D is empty.'
>>>
>>> d
{'a': 'apple', 'b': 'ball'}
>>>
>>> d.update({'c': 'cat'})
>>> d
{'a': 'apple', 'c': 'cat', 'b': 'ball'}
>>>
>>> d.popitem()
('a', 'apple')
>>> d
{'c': 'cat', 'b': 'ball'}
>>> #popitem() remove randomly
...
>>> d.viewitems.__doc__
"D.viewitems() -> a set-like object providing a view on D's items"
>>>
>>> d.get.__doc__
'D.get(k[,d]) -> D[k] if k in D, else d.  d defaults to None.'
>>> d.get('b')
'ball'
>>> d['b']
'ball'
>>>

```

Range Function

- **range()** generates lists containing arithmetic progression
- 3 variations of **range()** function:
 - **range(stop)** – starts from 0 till (stop 1)
 - **range(start, stop)** – end at (stop 1)
 - **range(start, stop, step)** - Step can not be 0, default is 1

Range

```
>>>
>>> range(10)
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9]
>>> range(100)
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38,
39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99]
>>> range(10,20)
[10, 11, 12, 13, 14, 15, 16, 17, 18, 19]
>>> range(20,25)
[20, 21, 22, 23, 24]
>>> range(10,20,2)
[10, 12, 14, 16, 18]
>>> #range(start,stop,step)
...
>>> #range(stop) -> step = 1
...
>>> #range(stop) -> start = 0 ,step = 1
...
>>> range(10)
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9]
>>>
>>> # 10 numbers are generated
#0 -> 2 bytes
#1 -> 2 bytes
# 10 * 2 = 20 bytes

>>> range(100)
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38,
39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99]
>>> # 100 * 2 = 200 bytes
```

If I go with range(100000000000000000000) my system might crash ***so range is a memory intensive function***

range vs xrange (xrange not in Python 3)

- *range is a memory intensive function*
- *Range returns a list however xrange returns an object*
- *xrange takes only 2 bytes*
- 100000 numbers -> 2 bytes in xrange

```
>>> for i in xrange(10,20,2):  
    print i
```

```
10  
12  
14  
16  
18  
>>>  
>>> range(10)  
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9]  
>>> xrange(10)  
xrange(10)  
>>>  
>>>
```

```
>>> for i in xrange(10):  
    print i
```

```
0  
1  
2  
3  
4  
5  
6  
7  
8  
9  
>>>
```

Getting User Input from Keyboard

- The function **input()** can be used to read data from the user:
- You can store the result into a variable

- ***Raw_input*** is the function which help you to interact with keyboard

```
>>>
>>> raw_input("Enter a number : ")
Enter a number : 10
'10'
>>> #internally Raw_input will have SYS library and in that it will use STDIN and STDOUT
...
>>> # 2 Types of function for input and output
...
>>> input("Enter a number : ")
Enter a number : 10
10
>>> 10
10
>>> a = raw_input ("Enter something : ")
Enter something : 10
>>> b = input ("enter something : ")
enter something : 10
>>> a
'10'
>>> b
10
>>> type(a)
<type 'str'>
>>> type(b)
<type 'int'>
>>> # raw_input -> returns a string
...
>>> # input -> Returns a number
...
>>>
```

```
>>> a =raw_input ("Enter a string: ")
Enter a string: Hello
>>> b =input ("Enter a string: ")
Enter a string: hello
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
  File "<string>", line 1, in <module>
NameError: name 'hello' is not defined
>>>
>>>
>>>
>>> b =input ("Enter a string: ")
Enter a string: 'hello'
>>> type(b)
<type 'str'>
>>> b
'hello'
>>> # input - > returns a number as well as a string based on the data
...
>>>
>>> b =input ("enter a list :")
enter a list :[1,2,3]
>>> b
[1, 2, 3]
>>> type (b)
<type 'list'>
>>>
```


Flow Control

- Python provides various tools for flow control
- Some of them are:
 - If
 - If else
 - While
 - For
 - Pass
 - Break
 - Continue

Break and Continue Statement

- **Break** and **Continue** statements are used to exit from loop
- The **break statement** is used to **break** out of loop statement i.e. stop the execution of a looping statement, even if the loop condition has not become false or the sequence of items has not been completely iterated over
- The **continue statement** is used to tell Python to skip the rest of the statements in the current loop block and to **continue** to the next iteration of the loop.

Pass Statement

- The **pass statement** does nothing. It can be used when a statement is required syntactically but the program requires no action.
- In simpler words, you can not leave a statement empty in Python. In this situation you can place statement there.
- Used commonly while creating minimal classes.
- ***Syntax :***
While True
Pass
Class MyEmptyClass
Pass

If – else Statement

- This **if** statement is used to check a condition. If the condition is true, we run a block of statements (called the **if-block**), else we process another block of statements (called the **else block**)
- The **else** clause is optional

Note: Keep a check on indentation and do not forget the colon (:)

Syntax :

If (condition):

Statements...

Else:

Default option statements...

While Statement

- The **while statement** allows you to repeatedly execute a block of statements as long as a condition is true.
- Indentation and Colon should be respected.

Syntax :


While Expression
Statement(s)

For statement

- The **for...in** statement is another looping statement which **iterates** over a sequence of objects i.e. go through each item in a sequence.

Syntax :

For iterator_name **in**
iterating_sequence:
...statements...



The image shows a screenshot of an IDE interface. The top menu bar includes File, Edit, View, Navigate, Code, Refactor, Run, Tools, VCS, Window, and Help. Below the menu is a toolbar with various icons. The breadcrumb navigation shows the path: C: > Python Training > Part 2 > break.py. The editor window displays a Python script in break.py with the following code:

```
1 for i in 'python':  
2     print i  
3     if i == 'o':  
4         break #break out of FOR loop  
5
```

The line containing the `break` statement is highlighted in yellow. The left sidebar shows the Project, Structure, and Favorites panels. At the bottom, the Terminal panel shows the command `python break.py` being executed, with the output `p`, `y`, `t`, and `o` displayed on separate lines. The `o` is highlighted in yellow.

The screenshot shows an IDE window with the following components:

- Menu Bar:** File, Edit, View, Navigate, Code, Refactor, Run, Tools, VCS, Window, Help.
- Toolbar:** Icons for file operations (open, save, delete, copy, paste, find, replace, undo, redo) and a dropdown menu showing 'examples'.
- Breadcrumbs:** C: > Python Training > Part 2 > break.py.
- Editor Tabs:** 'comman_line_arguments.py' and 'break.py'.
- Editor:** Contains the following Python code:

```
1 for i in 'python':  
2     print i  
3     if i == 'o':  
4         break #break out of FOR loop  
5 print i
```

Lines 4 and 5 are highlighted in yellow. A lightbulb icon is next to line 4.
- Terminal:** Shows the command `C:\Python Training\Part 2>python break.py` and its output:

```
+ C:\Python Training\Part 2>python break.py  
x p  
y  
t  
h  
o  
o  
C:\Python Training\Part 2>
```

The output 'o' and 'o' are highlighted in yellow.
- Left Sidebar:** Contains '1: Project' and '2: Favorites' sections.

- Break goes out of the loop.

The screenshot shows an IDE window with a Python file named `break.py`. The code is as follows:

```
1  
2  
3 for j in range(2):  
4     for i in 'Python':  
5         if i == 'o':  
6             break #break out of FOR loop  
7         print i  
8     print '=====  
9     print j  
10    print '====='
```

The IDE's Run console shows the output of the program:

```
C:\Python27\python.exe "C:/Python Training/Part 2/break.py"  
P  
y  
t  
h  
=====  
0  
=====  
P  
y  
t  
h  
=====  
1  
=====
```

At the bottom of the console, it states: "Process finished with exit code 0".




C: Python Training Part 2 break.py

break.py x

```
1
2 for i in 'Python ':
3     if i == 'o':
4         #break #break out of FOR loop
5         pass # This has no significant meaning ,acts as a placeholder for code
6     print i
7
8 def mathcalc():
9     pass #placeholder
10
```

Run break

C:\Python27\python.exe "C:/Python Training/Part 2/break.py"



Python

Process finished with exit code 0



C: Python Training Part 2 break.py

break.py x

1: Project
Z: Structure

```
1  
2 for i in 'Python':  
3     if i == 'o':  
4         continue # Skip all subsequent commands and its not exiting the for loop  
5                     # (but break will exit the for loop .Continue only skip the commands.  
6         # so it skip the "print i " command  
7     print i  
8  
9 def mathcalc():  
10     pass #placeholder  
11
```

for i in 'Pytho... > if i == 'o'

Run break



C:\Python27\python.exe "C:/Python Training/Part 2/break.py"

P
y
t
h
n

Process finished with exit code 0

orites

Tell us what you think | Verify your attendance

Provide feedback on this session and verify your participation at
u.mcmaster.ca/post-event

This session's verification code:
bass

SCDS Links

Send SCDS an Email:

scds@mcmaster.ca

Register for a Workshop:

<https://u.mcmaster.ca/scds-workshops>

Subscribe to our Newsletter:

<https://u.mcmaster.ca/sign-up>

Schedule a Consultation:

<https://libcal.mcmaster.ca/appointments>

